



Dear Laboratory Director:

Attached below is your clinical laboratory registration
Your registration is void after the expiration date below.

Expiration Date: APRIL 18, 2010

GENERAL CLINICAL RESEARCH CENTER
2921 STOCKTON BLVE SUITE 1446
CTSC
SACRAMENTO, CA 95817

Registration Limitation:

Clinical Laboratory Registration limits the type of testing allowed in this facility to waived and PPMP testing.

DISPLAY:

State law requires that the clinical laboratory registration shall be conspicuously posted in the clinical laboratory.

**CHANGE OF LABORATORY NAME,
DIRECTOR, OWNER AND/OR ADDRESS:**

State law requires that the laboratory owner and/or the director notify this office within 30 days of any change in ownership, name, location, or laboratory directors. **YOUR REGISTRATION ALSO WILL BE AUTOMATICALLY REVOKED 30 DAYS AFTER A MAJOR OWNER AND/OR DIRECTOR CHANGE.**

You must submit a completed application for a new clinical laboratory registration within those 30 days or cease engaging in clinical laboratory practice. Mail written notification and/or application to the address indicated below.

California Department of Public Health
Laboratory Field Services, Facility Licensing Section
850 Marina Bay Parkway, Building P, 1st Floor
Richmond, CA 94804-6403

Thank you for your cooperation.

Labregis 11/28/07
Tear Here

Tear Here