


## Garrett Wong, M.D.

<b>Title</b>	Assistant Clinical Professor
<b>Specialty</b>	<a href="#">Cardiology</a> , <a href="#">Cardiovascular Medicine</a> , Internal Medicine, Interventional Cardiology
<b>Department</b>	Internal Medicine
<b>Division</b>	Cardiovascular Medicine
<b>Center/Program Affiliation</b>	<a href="#">Cardiovascular Services</a>
<b>Address/Phone</b>	Lawrence J. Ellison Ambulatory Care Center, Cardiology Clinic, 4860 Y St. Suite 0200 Sacramento, CA 95817 <b>Phone:</b> 800-282-3284
<b>Additional Phone</b>	Physician Referrals: 916-734-5678
<b>Education</b>	M.D., Finch University of Health Sciences, The Chicago Medical School, Chicago, Illinois, 1998
<b>Internships</b>	UC Davis Medical Center, Sacramento, California, 1999
<b>Residency</b>	UC Davis Medical Center, Sacramento, California, 2001
<b>Fellowships</b>	Scripps Clinic, San Diego, California, 2005 UC Davis Medical Center, Sacramento, California, 2004
<b>Board Certifications</b>	American Board of Internal Medicine, 2001 American Board of Internal Medicine, Cardiovascular Medicine, 2004 American Board of Internal Medicine, Interventional Cardiology, 2005
<b>Select Recent Publications</b>	Gollapudi RS, Valencia R, Lee SS, Wong GB, Teirstein PS, Price MJ. Utility of Three-Dimensional Reconstruction of Coronary Angiography to Guide Percutaneous Coronary Intervention. <i>Catheter and Cardiovascular Intervention</i> , 2007;69: 479-482. Valencia R, Price MJ, Sawhney N, Lee SS, Wong GB, Gollapudi RR, Banares M, Schatz RA, Teirstein PS. Efficacy and Safety of Triple Antiplatelet Therapy With and Without Concomitant Anticoagulation During Elective Percutaneous Coronary Intervention (the REMOVE Trial). <i>American Journal of Cardiology</i> , 2007;100(7): 1099-102. Lee SS, Price MJ, Wong GB, Valencia R, Damani S, Sawhney N, Gollapudi RS, Schatz RA, Teirstein PS. Early and Medium Term Outcomes After Paclitaxel-Eluting Stent Implantation for Sirolimus-Eluting Stent Failure. <i>American Journal Cardiology</i> , 2006;98: 1345-1348.



## Garrett Wong, M.D.

Price MJ, Coleman JL, Steinhubl SR, Wong GB, Cannon CP, Teirstein PS. Onset and offset of platelet inhibition after high-dose clopidogrel loading and standard daily therapy measured by a point-of-care assay in healthy volunteers. *American Journal Cardiology*. 2006;98(5): 681-684.

Southard JA, Wong GB. Embolic Protection Device Technology. An overview of current device designs and the philosophies behind them. *Endovascular Today*, 2006;10: 55-62.

© 2015 UC Regents